

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

THE UNIVERSITAL OF MISSISSIPPI Public Water Supply Name List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

| Pleas | e Answer the Following Questions Regarding the Consumer Confidence Report |
|----------|---|
| V | Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) |
| | Advertisement in local paper On water bills Other |
| | Date customers were informed:// |
| | CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: |
| | Date Mailed/Distributed: / / |
| / | CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) |
| | Name of Newspaper: THE DAILY MISSISSIPPIAN |
| | Name of Newspaper: THE DAILY MISSISSIPPIAN Date Published: 6 /8 // 0 |
| E. | CCR was posted in public places. (Attach list of locations) |
| | Date Posted: 6/8/10 |
| | CCR was posted on a publicly accessible internet site at the address; www |
| CER | <u>FIFICATION</u> |
| I here | by certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system and manner identified above. I further certify that the information included in this CCR is true and correct |

the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

use el Arasis Name/Title (President, Mayor, Owner, etc.)

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518



MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

THE UNIVERSITY OF MISSISSIPPI Public Water Supply Name

| | | List PWS ID #s for all Water Systems Covered by this CCR |
|---------------------------|---|---|
| | | List PWS ID #s for all Water Systems Covered by this CCR |
| consu water | mer confidence | nking Water Act requires each <i>community</i> public water system to develop and distribute a report (CCR) to its customers each year. Depending on the population served by the public R must be mailed to the customers, published in a newspaper of local circulation, or provided to quest. |
| Pleas | e Answer the Fo | llowing Questions Regarding the Consumer Confidence Report |
| \checkmark | Customers we | ere informed of availability of CCR by: (Attach copy of publication, water bill or other) |
| | V | Advertisement in local paper On water bills Other |
| | Date custon | ners were informed:// |
| | CCR was di | stributed by mail or other direct delivery. Specify other direct delivery methods: |
| | Date Mailed/I | Distributed: / / |
| \preceq | · | lished in local newspaper. (Attach copy of published CCR or proof of publication) |
| | Name of New | spaper: THE DAILY MISS, 851PPIAN |
| | | d: 7 /23/10 |
| | CCR was pos | ted in public places. (Attach list of locations) |
| | Date Posted:_ | |
| C.1 | CCR was pos | ted on a publicly accessible internet site at www |
| <u>CER</u> | TIFICATION | |
| syster and co the M | m in the form an orrect and is con ississippi State I | consumer confidence report (CCR) has been distributed to the customers of this public water d manner identified above. I further certify that the information included in this CCR is true sistent with the water quality monitoring data provided to the public water system officials by Department of Health, Bureau of Public Water Supply. |
| Ram Nam | al Russe e/Title (Presiden | U Assist. Dictor 7/30/16 Total Date |
| | | tleted Form to: Bureau of Public Water Supply/ P.O. Box 1700/Jackson, MS 39215 |

570 East Woodrow Wilson

Phone: 601-576-7518

Post Office Box 1700

Jackson, MS 39215-1700

Annual Drinking Water Quality Report University of Mississippi PWS ID# 0360015 2009

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been to provide you a safe and dependable supply of drinking water.

The University of Mississippi water source is four on campus wells pumping from the Meridian-Upper Wilcox Aquifer. The Physical Plant routinely monitors our water source for constituents in your drinking water in accordance with Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st 2009.

If you have any questions about this report or concerning your water utility, please contact David Adkisson at 662-915-5923, or Reid Russell at 662-915-7051. We want our valued customers to be informed about their water utility.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

- Action Level-The concentration of a contaminant which if exceeded, triggers treatment or other requirements which a water system must follow.
- Treatment Technique (TT)-A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.
- Maximum Contaminant Level-The "Maximum Allowed" (MCL) is the highest level of a
 contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using
 the best available treatment technology.
- Maximum Contaminant Level Goal-The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS

| Contaminant | Violation | Level | Range of | Unit | MCLG | MCL | Likely source of |
|-------------|-----------|----------|--------------|-------------|------|-----|------------------|
| | Y/N | Detected | Detects or | Measurement | | | Contamination |
| | Date | | # of Samples | | | | |
| | Collected | | Exceeding | | | | |
| | | | MCL/ACĪ. | · | | | |

Microbiological Contaminants

| 1. Total | N | () | | 0 | Presence | Naturally present in the |
|----------|---|----|--|---|-------------|--------------------------|
| Coliform | | | | | of | environment |
| Bacteria | | | | | coliform | |
| | | | | | bacteria in | |
| | | | | | 5% of | |
| | | | | | monthly | |
| | | | | | samples | |

Inorganic Contaminants

7.Antimony N 2009 < 0.0005 0

| 7.Antimony | N | 2009 | < 0.0005 | 0 | ppm | 6 | 6 | Discharge from petroleum refineries; fire retardants ; ceramics; electronics; |
|-----------------------------|---|------|----------|----------|-----|-----|--------|--|
| 8Arsenic | N | 2009 | < 0.0005 | () | ррш | n/a | 50 | Erosion of natural deposits;runoff from orchards;runoff from glass and electronics production wastes |
| 10.Barium | Z | 2009 | 0.065427 | 0 | ppm | 2 | 2 | Discharge of drilling waste; discharge from metal refineries; erosion of natural deposits |
| 11.Beryllium | N | 2009 | < 0.0005 | 0 | ppm | 4 | 4 | Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries |
| 12.Cadmium | N | 2009 | < 0.0005 | () | ppb | 5 | 5 | Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints |
| 13.Chromium | Z | 2009 | 0.06865 | () | dqq | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| 14.Copper | N | 2007 | 0.3 | 0 | mqq | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| 15Cyanide | N | 2009 | < 0.015 | 0 | ppm | 200 | 200 | Discharge from steel/metal factories; discharge from plastic and fertilizer factories |
| 16Fluoride | Z | 2009 | 0.854 | 0 | ppm | 4 | 4 | Erosion of natural deposits;water additive which promotes strong teeth;discharge from fertilizer and aluminum factories |
| 17.Lead | N | 2007 | 0.05 | 0 | ddd | 0 | AL=15 | Corrosion of household plumbing systems; erosion of natural deposits |
| 18Mercury | N | 2009 | < 0.0002 | 0 | ppb | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| 19.Nitrate (as Nitrogen) | N | 2009 | 2.87 | No Range | bbm | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| 20Nitrite(as Nitrogen) | N | 2009 | < 0.05 | No range | ppm | I | 1 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| 21Selenium | N | 2009 | < 0.0025 | 0 | ppb | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| 22Thallium | N | 2009 | < 0.0005 | 0 | dqq | 0.5 | 2 | Leaching from order processing sites; discharge from electronics, glass, and drug factories |

Disinfection By-Product

(There is convincing evidence that addition of disinfection is necessary for control of microbial contaminants)

| Chlorine (as Cl2) | N | 2009 | 0.54 | 0 | ppm | 4 | 4 | Water additive used to control microbes |
|---------------------------|---|------|------|----|-----|---|-----|---|
| HAA5[total haloacetic] | N | 2007 | 1.6 | () | ppb | 0 | 0.8 | By-product of drinking water chlorination |

As you can see by the table, our system had no violations. We are proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected, however they are not above the level considered unsafe.

All sources of drinking water, even bottled water, are subject to potential contamination by substances that are natural or manmade. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water including bottled water may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorder, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791). Please call if you have questions.

Our source water assessment has been completed. Our wells were ranked MODERATE in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662.915.7051.

Additional Information for Lead

If present, elevated levels of lead can cause serious problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Physical Plant is responsible for providing high quality drinking water, but cannot control the variety of

materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tab for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://cpa.gov/safewater/lead. The Mississippi State Department of Health Public Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

We at the University of Mississippi Physical Plant work hard to provide quality water at every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2009 CCR Contact Information

| Date: 7/21/10 Time: 10:39 |
|--|
| PWSID: 360015 |
| System Name: University of Ms |
| Lead/Copper Language Chlorine Residual (MRDL) RAA |
| Other Violation(S) |
| Will correct report & mail copy marked "corrected copy" to MSDH. |
| Will notify customers of availability of corrected report on next monthly bill. Mr Addusson (NII) do a norrected lopy and inform Customers by new paper. |
| COSTONETS OF THE PROPERTY |
| |
| |
| |
| |
| |
| |
| |
| Spoke with David Addisson 663 - 915-5933 (Operator, Owner, Secretary) |



NewsWatch The Daily Mississippian Ole Miss Annual WUMS-FM 92.1 theDMonline.com

The S. Gale Denley Student Media Center 201 Bishop Hall Post Office Box 1848 University, MS 38677-1848 (662) 915-5503 Fax: (662) 915-5703

AFFIDAVIT OF PUBLICATION

| SCHOOL NAME: | University of Mississippi |
|---------------------------|--|
| NEWSPAPER NAME: | The Daily Mississippian |
| ADVERTISER: | University of Mississippi Physical Plant Dept. |
| ORDER NUMBER: | 21020 |
| DATE AD APPEARD / INSER | ΓS RAN: June 8, 2010 |
| TOTAL NUMBER OF COLUM | IN INCHES / WORDS: 40 column inches |
| TOTAL NUMBER OF INSERT | S: N/A |
| • | hat the information above is true and correct. ached dated tearsheets to verify publication. |
| NAME: Darcy Davis | NAME: Melanie Wadkins |
| SIGNATURE: Dara | Davis SIGNATURE: Juliju Milling |
| TITLE: Administrative | Assistant TITLE: Advertising Manager |
| DATE: June 8, 2010 | DATE: June 8, 2010 |



NewsWatch The Daily Mississippian Ole Miss Annual WUMS-FM 92,1 theDMonline.com

The S. Gale Denley Student Media Center 201 Bishop Hall Post Office Box 1848 University, MS 38677-1848 (662) 915-5503 Fax: (662) 915-5703

AFFIDAVIT OF PUBLICATION

| SCHOOL NAME: | University of Mississippi |
|----------------------------------|---|
| NEWSPAPER NAME: | The Daily Mississippian |
| ADVERTISER: | Univ. of Mississippi Physical Plant Dept. |
| ORDER NUMBER: | 21123 |
| DATE AD APPEARD / INSERTS RAN: _ | July 23, 2010 |
| TOTAL NUMBER OF COLUMN INCHES | S/WORDS: 9 col. inches |
| TOTAL NUMBER OF INSERTS: | N/A |
| • | rmation above is true and correct. I tearsheets to verify publication. |
| NAME: Melanie Wadkins | NAME: Darcy Davis |
| SIGNATURE: Marie Madhina | _ SIGNATURE: Daw Mix |
| TITLE: Advertising Manager | TITLE: Administrative Assistant |
| DATE: July 29, 2010 | DATE: |

| | | | | | ST RESUL | | | , |
|-----------------------------------|-----------|--|------------------------|--|---------------------|------------|---|---|
| Contaminani | | Violaticu V/N Diale Collected | Descend | Parties of Denocts or F of Samples Exceeding MCL/ACL | Unit Measurement | SICLO | uci. | Likely source of Concentration |
| dicroblok | gical | Contac | pinants | | | | | |
| 1. Total Coliforn Bacteria | 1. | | ľ | | | 0 | Marketon Secreta Secreta Secreta Secreta Secreta | Maturally prisent in the errichment |
| norganic (7Asteony | Conti | minan | 3 | 0.00 | Section 1 | | | |
| 7.Astinony | 1 | 2000 | *0008 | P | P\$984 | 16 | 9 | Dicharge from principles officeries, fire articulum promotos des articulum |
| Rament | N | 2009 | × 0.0003 | O . | Dian | t/e | S () | Services of Australia Designs of Austral Oppositions of Long Children of Long State and dispussion production which |
| | | | | Per de la | 85 ES | | | Section 10 to |
| 162-elen | 1 | 7 | 0.665427 | 0 | ppm | 2 | 2 | Decharge of defining waster discharge from motel reflection, storage of author deposits |
| II Berylinen | N | 2009 | < 0.0008 | | Distri | * | 4 | Delburgo Dina taccal referent les mai comi handing fact tres di achiego ferra ricolacial, servi spece, and delegan habitatics |
| 32.5 | | | 100 | | | | | Jan. 48 4 100 100 100 100 100 100 100 100 100 1 |
| 12.Cadentain | H | 200 | < 0,0008 | Ø |)And | 5 | \$ | Correction of gall registed pipes; excess of success deposits affecting from monal influence county from manal influence and paints |
| IXX Saleston | * | 2000 | 0.096680 | ø | pob . | 100 | 100 | Oretary how that and pally addressed and antical deposits |
| H.Copper | ۳ | 2007 | 0.3 | 0 | libra . | 13 , | Alei3 | Company of Secretary plants in Company operated a second appears to the form a total preservative |
| 19Cymide | * | 2009 | <6.013 | 0 | ppm | 200 | 250 | |
| I STERNA | ۳ | 9000 | UAS4 | v | ppa . | 4 | • | CALLED TO AND CONTROL OF THE PARTY OF T |
| 171.eed | ۳. | 2007 | 5,85 | 0 | 1900 | 0 | ALeis | |
| Discory | | 3000 | × 00000 | | # | 1 | | |
| 1935State (pr Niceogra) | T* | 7*** | 147 | No Kinge | page . | | 10 | 353 |
| 20 Pilotorius Pilotogra) | н. | 209 | <0.08 | No mage | _ | 1000 | 1 - | |
| 215olonium | N | 3000 | 40,003 | 0 | 19 4 0 | 50 | 3 0 | Distance had produce |
| 277 haddisen | * | 2009 | × 0.0008 | U | pp | 03 | 3 | |
| dalo fection | | | | L | | Щ. | | |
| Sport de courrie Chilorine (us | eriana er | ddawn ch | d addition of 1 034 | distanction is | netenary for | ountral of | mitropiai co | estantinents) Venerality and to make |
| 32 | 9 × 3 | 1 **** | | 7 | , | 7.77 | 建筑设施 有 | |

As you can see by the mide, over sweet had no violations. We are proud that your displaing water meets or extends all Yelderal and State repairments. We have learned through our mentioning and string that some constituents have been strengted, however they are not above the level considered unsafe.

All sources of directing water, even borded water, are subject to potential evolutionaries by substances that are usual or materials. These substances can be reacted to incorporate or experied contents and aedicatric substances. All directing protections of the substance of the

Annual Drinking Water Quality Report

UNIVERSITY OF MISSISSIPPI PWS ID# 0360015 2009

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been to provide you a safe and dependable supply of drinking water.

The University of Mississippi water source is four on campus wells pumping from the Meridian-Upper Wilcox Aquifer. The Physical Plant routinely monitors our water source for constituents in your drinking water in accordance with Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st 2009.

If you have any questions about this report or concerning your water utility, please contact David Adkisson at 662-915-5923, or Reid Russell at 662-915-7051. We want our valued customers to be informed about their water utility.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

Action Level-The concentration of a consummant which if exceeded, stiggers treatment of other requirements which a water system must follow.

Treatment Technique (TT)-A freatment sechnique is a required process intended to reduce the level of a comminisant in drinking water.

Maximum Contaminant Level-The "Maximum Allowed" (MCI) is the highest level of a contaminant that is allowed in drinking water. MCIs are set as close to MCI/Gs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal-The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons, such as persons with causer undergoing chamotherapy, persons who have undergoine organ transplants, people with HTV/AILS or other immune system disorder, some elderly, and infinite can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptospoordium and other microbiological contaminants are available from the Safe Drinking. Water Hodine [1:800-426-4731]. Flease call if you have questions.

Our source water assessment has been completed. Our wells were maked MODERATE in terms of ausceptibility to contamination. For a copy of the report, please contact our office at 662.915.7051.

We at the University of Minimippi Physical Plant work hard to provide quality water at every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Annual Drinking Water Quality Report UNIVERSITY OF MISSISSIPPI PWS ID#0360015

Additional Information for Lead

If present, elevated levels of lead can cause serious problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Physical Plant is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://epa.gov/safewater/lead. The Mississippi State Department of Health Public Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

Full reports can be obtained by contacting our office at 662.915.7051. We regret the omission.